



SCOUT SERIES

BY ZERO

The Scout Series combines a lightweight rotomolded shell with a shock-mounted 19-inch rack to protect sensitive electronics during transport, storage, and field deployment.

LIGHTWEIGHT ROTO-MOLDED PROTECTION

The Scout Series combines lightweight rotomolded polyethylene construction with a rugged double-entry design to protect sensitive equipment during transport, storage, and field deployment.

Available as either a shock-mounted 19-inch rackmount (ZDRS) or a matching storage case (ZDCS), Scout delivers versatile protection without unnecessary weight.



Scan to Explore Our
Rackmount Product Line



LIGHTWEIGHT
CONSTRUCTION



DOUBLE-ENTRY
DESIGN



STACKABLE



CHEMICAL
RESISTANCE



CONFIGURABLE
PROTECTION



BUILT TO LAST




LID HANGERS



90° CORNER
LOCKS



COLOR
OPTIONS



CUSTOM
ENGINEERING

RACKMOUNT CASE

- ✓ Integrated shock-mounted 19-inch rack frame
- ✓ High-strength aluminum rack construction
- ✓ Steel mounting rails with standard EIA hole pattern
- ✓ Elastomeric shock mounts selected by load
- ✓ Designed airflow and cooling for rack equipment

STORAGE CASE

- ✓ Rack-free interior for equipment and accessories
- ✓ Matches all SCOUT rackmount case dimensions
- ✓ Compatible with SCOUT stacking systems
- ✓ Lightweight, durable, and field-ready
- ✓ Meets Mil-Spec Provisions



ZEROCASES.COM

| 1-801-298-5900

| QUOTES@ZEROCASES.COM




CONFIGURE YOUR RACKMOUNT

HOW TO MEASURE AND BUILD YOUR PART NUMBER

UNDERSTANDING RACKMOUNT DIMENSIONS

Use the dimension guide below to identify the measurements referenced throughout the configuration options and specification tables.



PART NUMBER BUILDER

ZDRS												
SERIES	EIA UNITS	BODY DEPTH	RACK DEPTH	FRONT COVERS	REAR COVERS	COLOR	SHOCK MOUNTS	ENVIROMENT	RACK HOLES	HARDWARE	SHELVES/DRAWERS	OTHER OPTIONS
1 EIA Units Front/Rear	2 Body Depth Overall Depth	3 Rack Depth Equipment Depth	4 Cover Height Interior Depth	5 Select Options See available options below								
☐ 04 - 4U ☐ 05 - 5U ☐ 06 - 6U ☐ 07 - 7U ☐ 08 - 8U	☐ 21" ☐ 24" ☐ 27" ☐ 30"	☐ 18 - 18"/457 mm ☐ 21 - 21"/534 mm ☐ 24 - 24"/610 mm ☐ 27 - 27"/686 mm ☐ 30 - 30"/762 mm	☐ 03 - 3.7" / 76 mm ☐ 05 - 5" / 127 mm									

COLORS

- | | |
|---|--|
| ☐ BK - Black 27040
☐ DB - Dark Blue 25102
☐ DS - Desert Sand 33446
☐ FG - Forest Green 24052
☐ GR - Gray 26270
☐ MR - Maroon PMS 202
☐ MB - Medium Blue 25190 | ☐ NA - Natural
☐ NG - NATO Green RAL6014
☐ OD - Olive Drab 24097
☐ OR - Orange 12197
☐ RD - Red 21105
☐ WH - White 27925
☐ YW - Yellow 23785 |
|---|--|

SHOCK MOUNTS (Equipment Weight)

- ☐ **01** - 20 to 49 lbs
☐ **02** - 50 to 80 lbs
Call for loads over 80lbs

ENVIROMENT

- ☐ **00** - None Required
☐ **HI** - Humidity Indicator
☐ **PV** - Pressure Valve
☐ **PH** - PV, HI
☐ **WT** - Watertight, PV
☐ **WV** - WT, HI, PV .

RACK HOLE STYLE

- ☐ **EI** - Std. EIA (10-32)
☐ **M5** - M5 Metric Tapped
☐ **M6** - M6 Metric Tapped
☐ **SQ** - Square

HARDWARE & HANDLES ⓘ Watertight option not available with locking Hasps.

Metal Handles

- ☐ **00** - Standard Zinc Chromate Handle & Hardware
☐ **LL** - Zinc Chromate Handle & Hardware, Locking Hasp ⓘ
☐ **BH** - Black Metal Handle & Hardware
☐ **BL** - Black Metal Handle & Hardware, Locking Hasp & Hardware ⓘ
☐ **SS** - Stainless Steel Handle & Hardware
☐ **LS** - Stainless Steel Handle & Hardware, Locking Hasp ⓘ

Plastic Handles

- ☐ **P0** - Plastic Black Handle, Zinc Hardware
☐ **PB** - Plastic Black Handle, Black Hardware
☐ **PS** - Plastic Black Handle, Stainless Steel Hardware
☐ **P1** - Plastic Black Handle, Zinc Hardware, Locking Hasp ⓘ
☐ **P2** - Plastic Black Handle, Stainless Steel Hardware, Locking Hasp ⓘ
☐ **P3** - Plastic Black Handle, Black Hardware, Locking Hasp ⓘ

SHELVES / DRAWERS

- | | |
|---|---|
| ☐ 00 - None Required
☐ EA - Equipment Angle
☐ FS - Fixed Shelf
☐ IR - Intermediate Rails | ☐ KT - Keyboard Tray
☐ RS - Rack Slides
☐ SD - Sliding Drawer
☐ SF - Sliding Shelf |
|---|---|

OTHER ACCESSORIES

- | | |
|--|---|
| ☐ 00 - None Required
☐ CH - Card Holder
☐ CS - Coupling Straps
☐ SP - Storage Pouch | Combinations
☐ Z1 - Card Holder & Storage Pouch
☐ Z6 - Coupling Straps & Storage Pouch |
|--|---|

SCOUT STANDARD CONFIGURATIONS

SIZE, DIMENSION & PART NUMBER REFERENCE




EIA UNITS	BODY DEPTH	RACK DEPTH	COVER HEIGHT	CASE HEIGHT	VOLUME	WEIGHT	SWAY	PART NUMBER
4U 7.12" (181 mm)	21in 534mm	18in 457mm	9in 229mm	16.00in 406mm	7.7ft³ .22m³	45lb 22.4kg		ZDRS0421180303
			11in 279mm		7.9ft³ .22m³	46lb 22.8kg		ZDRS0421180305
			13in 330mm		8.4ft³ .24m³	48lb 23.7kg		ZDRS0421180505
		21in 534mm	9in 229mm	16.00in 406mm	7.7ft³ .22m³	45lb 22.4kg		ZDRS0421210303
			11in 279mm		7.9ft³ .22m³	46lb 22.8kg		ZDRS0421210305
			13in 330mm		8.4ft³ .24m³	48lb 23.7kg		ZDRS0421210505
	24in 610mm	21in 534mm	9in 229mm	16.00in 406mm	8.4ft³ .24m³	46lb 20.9kg		ZDRS0424210303
			11in 279mm		8.7ft³ .25m³	47lb 21.3kg		ZDRS0424210305
			13in 330mm		9.2ft³ .26m³	49lb 22.2kg		ZDRS0424210505
		24in 610mm	9in 229mm	16.00in 406mm	8.4ft³ .24m³	46lb 20.9kg		ZDRS0424240303
			11in 279mm		8.7ft³ .25m³	47lb 21.3kg		ZDRS0424240305
			13in 330mm		9.2ft³ .26m³	49lb 22.2kg		ZDRS0424240505
	27in 686mm	24in 610mm	9in 229mm	16.00in 406mm	9.1ft³ .26m³	48lb 21.8kg		ZDRS0427240303
			11in 279mm		9.5ft³ .27m³	49lb 22.2kg		ZDRS0427240305
			13in 330mm		10.0ft³ .28m³	51lb 23.1kg		ZDRS0427240505
		27in 686mm	9in 229mm	16.00in 406mm	9.1ft³ .26m³	48lb 21.8kg		ZDRS0427270303
			11in 279mm		9.5ft³ .27m³	49lb 22.2kg		ZDRS0427270305
			13in 330mm		10.0ft³ .28m³	51lb 23.1kg		ZDRS0427270505
	30in 762mm	27in 686mm	9in 229mm	16.00in 406mm	9.8ft³ .28m³	51lb 23.1kg		ZDRS0430270303
			11in 279mm		10.3ft³ .29m³	52lb 23.6kg		ZDRS0430270305
			13in 330mm		10.8ft³ .31m³	54lb 24.5kg		ZDRS0430270505
		30in 762mm	9in 229mm	16.00in 406mm	9.8ft³ .28m³	51lb 23.1kg		ZDRS0430300303
			11in 279mm		10.3ft³ .29m³	52lb 23.6kg		ZDRS0430300305
			13in 330mm		10.8ft³ .31m³	54lb 24.5kg		ZDRS0430300505
5U 8.87" (225 mm)	21in 534mm	18in 457mm	9in 229mm	17.75in 451mm	7.7ft³ .22m³	52lb 21.7kg		ZDRS0521180303
			11in 279mm		9.0ft³ .25m³	53lb 22.2kg		ZDRS0521180305
			13in 330mm		9.3ft³ .26m³	54lb 23.1kg		ZDRS0521180505
		21in 534mm	9in 229mm	17.75in 451mm	7.7ft³ .22m³	54lb 23.1kg		ZDRS0521210303
			11in 279mm		9.0ft³ .25m³	55lb 23.6kg		ZDRS0521210305
			13in 330mm		9.3ft³ .26m³	56lb 24.5kg		ZDRS0521210505
	24in 610mm	21in 534mm	9in 229mm	17.75in 451mm	8.7ft³ .25m³	56lb 25.4kg		ZDRS0524210303
			11in 279mm		9.8ft³ .28m³	57lb 25.9kg		ZDRS0524210305
			13in 330mm		10.2ft³ .29m³	58lb 26.3kg		ZDRS0524210505
		24in 610mm	9in 229mm	17.75in 451mm	8.7ft³ .25m³	52lb 23.6kg		ZDRS0524240303
			11in 279mm		9.8ft³ .28m³	53lb 24.0kg		ZDRS0524240305
			13in 330mm		10.2ft³ .29m³	54lb 24.5kg		ZDRS0524240505
	27in 686mm	24in 610mm	9in 229mm	17.75in 451mm	9.8ft³ .28m³	58lb 26.3kg		ZDRS0527240303
			11in 279mm		10.6ft³ .30m³	59lb 26.8kg		ZDRS0527240305
			13in 330mm		11.1ft³ .31m³	60lb 27.2kg		ZDRS0527240505
		27in 686mm	9in 229mm	17.75in 451mm	9.8ft³ .28m³	58lb 26.3kg		ZDRS0527270303
			11in 279mm		10.6ft³ .30m³	59lb 26.8kg		ZDRS0527270305
			13in 330mm		11.1ft³ .31m³	60lb 27.2kg		ZDRS0527270505
	30in 762mm	27in 686mm	9in 229mm	17.75in 451mm	10.9ft³ .31m³	60lb 27.2kg		ZDRS0530270303
			11in 279mm		11.4ft³ .32m³	61lb 27.7kg		ZDRS0530270305
			13in 330mm		12.0ft³ .34m³	63lb 28.6kg		ZDRS0530270505
		30in 762mm	9in 229mm	17.75in 451mm	10.9ft³ .31m³	60lb 27.2kg		ZDRS0530300303
			11in 279mm		11.4ft³ .32m³	61lb 27.7kg		ZDRS0530300305
			13in 330mm		12.0ft³ .34m³	63lb 28.6kg		ZDRS0530300505

CONFIGURE YOUR STORAGE CASE

HOW TO MEASURE AND BUILD YOUR PART NUMBER

UNDERSTANDING STORAGE CASE DIMENSIONS

Use the dimension guide below to identify the measurements referenced throughout the configuration options and specification tables.



PART NUMBER BUILDER

ZDCS							00			00	00	
SERIES	EIA UNITS	BODY DEPTH	RACK DEPTH	FRONT COVERS	REAR COVERS	COLOR	SHOCK MOUNTS	ENVIROMENT	HARDWARE	RACK HOLES	SHELVES/ DRAWERS	OTHER OPTIONS

1 EIA Units Front/Rear

- ☐ **04** - 4U
- ☐ **05** - 5U
- ☐ **07** - 7U

2 Body Depth Overall Depth

- ☐ 21"
- ☐ 24"
- ☐ 27"
- ☐ 30"

3 Rack Depth Equipment Depth

- ☐ **18** - 18"/457 mm
- ☐ **21** - 21"/534 mm
- ☐ **24** - 24"/610 mm
- ☐ **27** - 27"/686 mm
- ☐ **30** - 30"/762 mm

4 Cover Height Interior Depth

- ☐ **03** - 3.7" / 76 mm
- ☐ **05** - 5" / 127 mm

5 Select Options See available options below

COLORS

- ☐ **BK** - Black 27040
- ☐ **DB** - Dark Blue 25102
- ☐ **DS** - Desert Sand 33446
- ☐ **FG** - Forest Green 24052
- ☐ **GR** - Gray 26270
- ☐ **MR** - Maroon PMS 202
- ☐ **MB** - Medium Blue 25190
- ☐ **NA** - Natural
- ☐ **NG** - NATO Green RAL6014
- ☐ **OD** - Olive Drab 24097
- ☐ **OR** - Orange 12197
- ☐ **RD** - Red 21105
- ☐ **WH** - White 27925
- ☐ **YW** - Yellow 23785

SHOCK MOUNTS (Equipment Weight)

- ☐ **00** - None Required

ENVIROMENT

- ☐ **00** - None Required
- ☐ **HI** - Humidity Indicator
- ☐ **PV** - Pressure Valve
- ☐ **PH** - PV, HI
- ☐ **WT** - Watertight, PV
- ☐ **WV** - WT, HI, PV .

RACK HOLE STYLE

- ☐ **00** - None Required

HARDWARE & HANDLES ⓘ Watertight option not available with locking Hasps.

Metal Handles

- ☐ **00** - Standard Zinc Chromate Handle & Hardware
- ☐ **LL** - Zinc Chromate Handle & Hardware, Locking Hasp ⓘ
- ☐ **BH** - Black Metal Handle & Hardware
- ☐ **BL** - Black Metal Handle & Hardware, Locking Hasp & Hardware ⓘ
- ☐ **SS** - Stainless Steel Handle & Hardware
- ☐ **LS** - Stainless Steel Handle & Hardware, Locking Hasp ⓘ

Plastic Handles

- ☐ **P0** - Plastic Black Handle, Zinc Hardware
- ☐ **PB** - Plastic Black Handle, Black Hardware
- ☐ **PS** - Plastic Black Handle, Stainless Steel Hardware
- ☐ **P1** - Plastic Black Handle, Zinc Hardware, Locking Hasp ⓘ
- ☐ **P2** - Plastic Black Handle, Stainless Steel Hardware, Locking Hasp ⓘ
- ☐ **P3** - Plastic Black Handle, Black Hardware, Locking Hasp ⓘ

SHELVES / DRAWERS

- ☐ **00** - None Required

OTHER ACCESSORIES

- ☐ **00** - None Required
- ☐ **CH** - Card Holder
- ☐ **CS** - Coupling Straps
- ☐ **SP** - Storage Pouch

Combinations

- ☐ **Z1** - Card Holder & Storage Pouch

RA USING	BODY DEPTH	BASIN DEPTH	CORNER HEIGHT	CASE HEIGHT	VOLUME	WEIGHT	DOAT	PART NUMBER
6U 10.63" (270 mm)	24in 610mm	21in 534mm	9in 229mm	17.75in 451mm	9.9ft ³ .28m ³	52lb 23.6kg	+/-	ZDRS0624210303
			11in 279mm		10.3ft ³ .29m ³	53lb 24.0kg	+/-	ZDRS0624210305
			13in 330mm		11.1ft ³ .31m ³	54lb 24.5kg	+/-	ZDRS0624210505
		24in 610mm	9in 229mm	17.75in 451mm	9.9ft ³ .28m ³	52lb 23.6kg	+/-	ZDRS0624240303
			11in 279mm		10.3ft ³ .29m ³	53lb 24.0kg	+/-	ZDRS0624240305
			13in 330mm		11.1ft ³ .31m ³	54lb 24.5kg	+/-	ZDRS0624240505
	27in 686mm	24in 610mm	9in 229mm	17.75in 451mm	10.8ft ³ .31m ³	54lb 24.5kg	+/-	ZDRS0627240303
			11in 279mm		11.3ft ³ .32m ³	55lb 24.9kg	+/-	ZDRS0627240305
			13in 330mm		12.0ft ³ .34m ³	56lb 25.4kg	+/-	ZDRS0627240505
		27in 686mm	9in 229mm	17.75in 451mm	10.8ft ³ .31m ³	54lb 24.5kg	+/-	ZDRS0627270303
			11in 279mm		11.3ft ³ .32m ³	55lb 24.9kg	+/-	ZDRS0627270305
			13in 330mm		12.0ft ³ .34m ³	56lb 25.4kg	+/-	ZDRS0627270505
	30in 762mm	27in 686mm	9in 229mm	17.75in 451mm	11.7ft ³ .33m ³	56lb 25.4kg	+/-	ZDRS0630270303
			11in 279mm		12.3ft ³ .35m ³	57lb 25.9kg	+/-	ZDRS0630270305
			13in 330mm		12.9ft ³ .37m ³	59lb 26.8kg	+/-	ZDRS0630270505
		30in 762mm	9in 229mm	17.75in 451mm	11.7ft ³ .33m ³	56lb 25.4kg	+/-	ZDRS0630300303
			11in 279mm		12.3ft ³ .35m ³	57lb 25.9kg	+/-	ZDRS0630300305
			13in 330mm		12.9ft ³ .37m ³	59lb 26.8kg	+/-	ZDRS0630300505
7U 12.37" (314 mm)	24in 610mm	21in 534mm	9in 229mm	21.25in 540mm	11.0ft ³ .31m ³	52lb 23.6kg		ZDRS0724210303
			11in 279mm		11.7ft ³ .33m ³	53lb 24.0kg		ZDRS0724210305
			13in 330mm		12.4ft ³ .35m ³	55lb 24.9kg		ZDRS0724210505
		24in 610mm	9in 229mm	21.25in 540mm	11.0ft ³ .31m ³	52lb 23.6kg		ZDRS0724240303
			11in 279mm		11.7ft ³ .33m ³	53lb 24.0kg		ZDRS0724240305
			13in 330mm		12.4ft ³ .35m ³	55lb 24.9kg		ZDRS0724240505
	27in 686mm	24in 610mm	9in 229mm	21.25in 540mm	12.0ft ³ .34m ³	55lb 24.9kg		ZDRS0727240303
			11in 279mm		12.7ft ³ .36m ³	56lb 25.4kg		ZDRS0727240305
			13in 330mm		13.4ft ³ .38m ³	58lb 26.3kg		ZDRS0727240505
		27in 686mm	9in 229mm	21.25in 540mm	12.0ft ³ .34m ³	55lb 24.9kg		ZDRS0727270303
			11in 279mm		12.7ft ³ .36m ³	56lb 25.4kg		ZDRS0727270305
			13in 330mm		13.4ft ³ .38m ³	58lb 26.3kg		ZDRS0727270505
	30in 762mm	27in 686mm	9in 229mm	21.25in 540mm	13.0ft ³ .37m ³	57lb 25.9kg		ZDRS0730270303
			11in 279mm		13.7ft ³ .39m ³	58lb 26.3kg		ZDRS0730270305
			13in 330mm		14.4ft ³ .41m ³	60lb 27.2kg		ZDRS0730270505
		30in 762mm	9in 229mm	21.25in 540mm	13.0ft ³ .37m ³	57lb 25.9kg		ZDRS0730300303
			11in 279mm		13.7ft ³ .39m ³	58lb 26.3kg		ZDRS0730300305
			13in 330mm		14.4ft ³ .41m ³	60lb 27.2kg		ZDRS0730300505
8U 14.12" (358 mm)	24in 610mm	21in 534mm	9in 229mm	21.25in 540mm	11.9ft ³ .34m ³	58lb 26.3kg	+/-	ZDRS0824210303
			11in 279mm		12.6ft ³ .36m ³	59lb 26.8kg	+/-	ZDRS0824210305
			13in 330mm		13.4ft ³ .38m ³	61lb 27.7kg	+/-	ZDRS0824210505
		24in 610mm	9in 229mm	21.25in 540mm	11.9ft ³ .34m ³	58lb 26.3kg	+/-	ZDRS0824240303
			11in 279mm		12.6ft ³ .36m ³	59lb 26.8kg	+/-	ZDRS0824240305
			13in 330mm		13.4ft ³ .38m ³	61lb 27.7kg	+/-	ZDRS0824240505
	27in 686mm	24in 610mm	9in 229mm	21.25in 540mm	13.0ft ³ .37m ³	60lb 27.2kg	+/-	ZDRS0827240303
			11in 279mm		13.7ft ³ .39m ³	61lb 27.7kg	+/-	ZDRS0827240305
			13in 330mm		14.5ft ³ .41m ³	63lb 28.6kg	+/-	ZDRS0827240505
		27in 686mm	9in 229mm	21.25in 540mm	13.0ft ³ .37m ³	60lb 27.2kg	+/-	ZDRS0827270303
			11in 279mm		13.7ft ³ .39m ³	61lb 27.7kg	+/-	ZDRS0827270305
			13in 330mm		14.5ft ³ .41m ³	63lb 28.6kg	+/-	ZDRS0827270505
	30in 762mm	27in 686mm	9in 229mm	21.25in 540mm	14.1ft ³ .40m ³	62lb 28.1kg	+/-	ZDRS0830270303
			11in 279mm		14.8ft ³ .42m ³	63lb 28.6kg	+/-	ZDRS0830270305
			13in 330mm		15.6ft ³ .44m ³	65lb 29.5kg	+/-	ZDRS0830270505
		30in 762mm	9in 229mm	21.25in 540mm	14.1ft ³ .40m ³	62lb 28.1kg	+/-	ZDRS0830300303
			11in 279mm		14.8ft ³ .42m ³	63lb 28.6kg	+/-	ZDRS0830300305
			13in 330mm		15.6ft ³ .44m ³	65lb 29.5kg	+/-	ZDRS0830300505

CONFIGURE YOUR STORAGE CASE

HOW TO MEASURE AND BUILD YOUR PART NUMBER

EIA UNITS	BODY DEPTH	COVER HEIGHT	CASE HEIGHT	VOLUME	WEIGHT	PART NUMBER
4U 7.12" (181 mm)	21in 534mm	9in 229mm	16.00in 406mm	7.7ft³ .22m³	37.0lb 16.7kg	ZDCS0421-0303
		11in 279mm		7.9ft³ .22m³	38.0lb 17.2kg	ZDCS0421-0305
		13in 330mm		8.4ft³ .24m³	39.0lb 17.8kg	ZDCS0421-0505
	24in 610mm	9in 229mm	16.00in 406mm	8.4ft³ .24m³	40.0lb 18.1kg	ZDCS0424-0303
		11in 279mm		8.7ft³ .25m³	41.0lb 18.6kg	ZDCS0424-0305
		13in 330mm		9.2ft³ .26m³	42.0lb 19.1kg	ZDCS0424-0505
	27in 686mm	9in 229mm	16.00in 406mm	9.1ft³ .26m³	43.0lb 19.5kg	ZDCS0427-0303
		11in 279mm		9.5ft³ .27m³	44.0lb 20.0kg	ZDCS0427-0305
		13in 330mm		10.0ft³ .28m³	45.0lb 20.4kg	ZDCS0427-0505
	30in 762mm	9in 229mm	16.00in 406mm	9.8ft³ .28m³	46.0lb 20.9kg	ZDCS0430-0303
		11in 279mm		10.3ft³ .29m³	47.0lb 21.3kg	ZDCS0430-0305
		13in 330mm		10.8ft³ .31m³	49.0lb 22.2kg	ZDCS0430-0505
5U 8.87" (225 mm)	21in 534mm	9in 229mm	17.75in 451mm	7.6ft³ .22m³	47.0lb 21.4kg	ZDCS0521-0303
		11in 279mm		9.0ft³ .25m³	48.0lb 21.7kg	ZDCS0521-0305
		13in 330mm		9.3ft³ .26m³	49.0lb 22.3kg	ZDCS0521-0505
	24in 610mm	9in 229mm	17.75in 451mm	8.7ft³ .25m³	50.0lb 22.7kg	ZDCS0524-0303
		11in 279mm		9.8ft³ .28m³	51.0lb 23.1kg	ZDCS0524-0305
		13in 330mm		10.2ft³ .29m³	52.0lb 23.6kg	ZDCS0524-0505
	27in 686mm	9in 229mm	17.75in 451mm	9.8ft³ .28m³	53.0lb 24.0kg	ZDCS0527-0303
		11in 279mm		10.6ft³ .30m³	54.0lb 24.5kg	ZDCS0527-0305
		13in 330mm		11.1ft³ .31m³	55.0lb 24.9kg	ZDCS0527-0505
	30in 762mm	9in 229mm	17.75in 451mm	10.9ft³ .31m³	56.0lb 25.4kg	ZDCS0530-0303
		11in 279mm		11.4ft³ .32m³	57.0lb 25.9kg	ZDCS0530-0305
		13in 330mm		12.0ft³ .34m³	58.0lb 26.3kg	ZDCS0530-0505
7U 12.37" (314 mm)	24in 610mm	9in 229mm	17.75in 451mm	11.0ft³ .31m³	48.0lb 21.8kg	ZDCS0724-0303
		11in 279mm		11.7ft³ .33m³	50.0lb 22.7kg	ZDCS0724-0305
		13in 330mm		12.5ft³ .35m³	52.0lb 23.6kg	ZDCS0724-0505
	27in 686mm	9in 229mm	17.75in 451mm	12.0ft³ .34m³	51.0lb 23.1kg	ZDCS0727-0303
		11in 279mm		12.7ft³ .36m³	52.0lb 23.6kg	ZDCS0727-0305
		13in 330mm		13.4ft³ .38m³	53.0lb 24.0kg	ZDCS0727-0505
	30in 762mm	9in 229mm	17.75in 451mm	13.0ft³ .37m³	53.0lb 24.0kg	ZDCS0730-0303
		11in 279mm		13.7ft³ .39m³	53.0lb 24.0kg	ZDCS0730-0305
		13in 330mm		14.4ft³ .41m³	55.0lb 24.9kg	ZDCS0730-0505

NEED A CUSTOM SOLUTION?

Work directly with our engineering team to develop a case tailored to your equipment, environment, and performance requirements. Zero simplifies the process while delivering uncompromising protection and reliability.





EXPLORE MORE ENGINEERED RACKMOUNT SOLUTIONS



WARRIOR™ ROTOMOLDED PROTECTION FOR DEMANDING ENVIRONMENTS

- ✓ Rotomolded
- ✓ Shock Mounted
- ✓ Field Deployment
- ✓ Portable
- ✓ Rugged



ZERAK™ LIGHTWEIGHT ALUMINUM PERFORMANCE

- ✓ Aluminum
- ✓ Lightweight
- ✓ Compact
- ✓ Up to 40G Protection
- ✓ Stackable
- ✓ EMI/RFI Shielding Available



VAL-AN™ 900 HEAVY-DUTY SHOCK-MOUNTED PROTECTION

- ✓ Aluminum
- ✓ Shock Mounted
- ✓ Heavy Duty
- ✓ Hard or Shock Mounted Options