

WARRIOR

BY ZERO

The Warrior Series delivers rugged, shock-mounted 19-inch rack protection with a durable rotomolded shell, engineered to safeguard mission-critical electronics during transport, storage, and demanding field operations.


Scan to Explore Our Rackmount Product Line

SHOCK-MOUNTED PROTECTION


FOR DEMANDING RACKMOUNT EQUIPMENT

The Warrior Series combines a rugged double-entry enclosure with a shock-mounted 19-inch rack system engineered to protect sensitive electronics during transport, storage, and field deployment.

Available as a shock-mounted rackmount case or matching storage case, Warrior can be configured around equipment size, load, environmental requirements, hardware, accessories, and deployment needs.




SHOCK-MOUNTED 19-INCH RACK



DOUBLE-ENTRY DESIGN



CONFIGURABLE SHOCK ISOLATION




MULTIPLE RACK DEPTHS




ENVIRONMENTAL OPTIONS



STACKABLE CONSTRUCTION



HARDWARE OPTIONS



CUSTOM ENGINEERING

ZDR RACKMOUNT CASE

- Shock-mounted 19-inch rack
- Double-entry access
- Adjustable rack and cover depths
- Load-specific shock mounts
- Environmental protection options
- Custom rails, hardware, shelves, drawers, and accessories

ZDC STORAGE CASE

- Rack-free interior for equipment and accessories
- Matches all SCOUT rackmount case dimensions
- Compatible with SCOUT stacking systems
- Lightweight, durable, and field-ready
- Meets Mil-Spec Provisions

ZEROCASES.COM | 1-801-298-5900 | QUOTES@ZEROCASES.COM


MADE IN USA

CONFIGURE YOUR
WARRIOR WITH SHOCK MOUNTS, DOUBLE ENTRY

HOW TO MEASURE AND BUILD YOUR PART NUMBER

UNDERSTANDING RACKMOUNT DIMENSIONS

Use the dimension guide below to identify the measurements referenced throughout the configuration options and specification tables.



Scan here to choose your configuration needs

PART NUMBER BUILDER

ZDR												
SERIES	EIA UNITS	BODY DEPTH	RACK DEPTH	FRONT COVERS	REAR COVERS	COLOR	SHOCK MOUNTS	ENVIROMENT	RACK HOLES	HARDWARE	SHELVES/ DRAWERS	OTHER OPTIONS

1 EIA Units
Front/Rear

- **04** - 4U
- **05** - 5U
- **06** - 6U
- **07** - 7U
- **08** - 8U
- **09** - 9U
- **10** - 10U
- **11** - 11U
- **12** - 12U
- **13** - 13U
- **14** - 14U
- **15** - 15U

2 Body Depth
Overall Depth

- 21″
- 24"
- 27″
- 30″

3 Rack Depth
Equipment Depth

- **18** - 18"/457 mm
- **21** - 21"/534 mm
- **24** - 24"/610 mm
- **27** - 27"/686 mm
- **30** - 30"/762 mm

4 Cover Height
Interior Depth

- **03** - 3.7″ / 76 mm
- **05** - 5″ / 127 mm

5 Select Options
See available options below

COLORS

- **BK** - Black 27040
- **DB** - Dark Blue 25102
- **DS** - Desert Sand 33446
- **FG** - Forest Green 24052
- **GR** - Gray 26270
- **MR** - Maroon PMS 202
- **MB** - Medium Blue 25190
- **NA** - Natural
- **NG** - NATO Green RAL6014
- **OD** - Olive Drab 24097
- **OR** - Orange 12197
- **RD** - Red 21105
- **WH** - White 27925
- **YW** - Yellow 23785

SHOCK MOUNTS
(Equipment Weight)

- **01** - 20 to 49 lbs
- **02** - 50 to 80 lbs
- **03** - 81 to 150 lbs
- **04** - 151 to 250 lbs
- **05** - 251 to 350 lbs

Call for loads over 350lbs

ENVIROMENT

- **00** - None Required
- **HI** - Humidity Indicator
- **PV** - Pressure Valve
- **PH** - PV. HI
- **WT** - Watertight, PV
- **WV** - WT, HI, PV .

RACK HOLE STYLE

- **EI** - Std. EIA (10-32)
- **M5** - M5 Metric Tapped
- **M6** - M6 Metric Tapped
- **SQ** - Square

HARDWARE & HANDLES

Watertight option not available with locking Hasps.

Metal Handles

- **00** - Standard Zinc Chromate Handle & Hardware
- **LL** - Zinc Chromate Handle & Hardware, Locking Hasp
- **BH** - Black Metal Handle & Hardware
- **BL** - Black Metal Handle & Hardware, Locking Hasp & Hardware
- **SS** - Stainless Steel Handle & Hardware
- **LS** - Stainless Steel Handle & Hardware, Locking Hasp

Plastic Handles

- **P0** - Plastic Black Handle, Zinc Hardware
- **PB** - Plastic Black Handle, Black Hardware
- **PS** - Plastic Black Handle, Stainless Steel Hardware
- **P1** - Plastic Black Handle, Zinc Hardware, Locking Hasp
- **P2** - Plastic Black Handle, Stainless Steel Hardware, Locking Hasp
- **P3** - Plastic Black Handle, Black Hardware, Locking Hasp

SHELVES / DRAWERS

- **00** - None Required
- **EA** - Equipment Angle
- **FS** - Fixed Shelf
- **IR** - Intermediate Rails
- **KT** – Keyboard Tray
- **RS** – Rack Slides
- **SD** – Sliding Drawer
- **SF** – Sliding Shelf

OTHER ACCESSORIES

- **00** - None Required
- **CA** - Removable Casters (4)
- **CH** - Card Holder
- **CR** - Chair
- **CS** - Coupling Straps
- **LR** - Lifting/Tie Down Rings
- **SP** - Storage Pouch
- **TB** - Table

Combinations


- **Z1** - CH, SP
- **Z2** - CA, CS
- **Z3** - CA, CH, CS, SP
- **Z4** - CA, CH, CS, LR, SP
- **Z5** - CH, LR
- **Z6** - CS, SP
- **ZC** - CA, LR
- **ZD** - CA, CH, LR
- **ZE** - CA, CH, LR, SP
- **ZF** - CA, SP

CONFIGURE YOUR
WARRIOR WITH REMOVABLE RACK

HOW TO MEASURE AND BUILD YOUR PART NUMBER

UNDERSTANDING RACKMOUNT DIMENSIONS

Use the dimension guide below to identify the measurements referenced throughout the configuration options and specification tables.



Scan here to choose your configuration needs

PART NUMBER BUILDER

ZDRR												
SERIES	EIA UNITS	BODY DEPTH	RACK DEPTH	FRONT COVERS	REAR COVERS	COLOR	SHOCK MOUNTS	ENVIROMENT	RACK HOLES	HARDWARE	SHELVES/ DRAWERS	OTHER OPTIONS

1 EIA Units
Front/Rear

- **04** - 4U
- **05** - 5U
- **06** - 6U
- **07** - 7U
- **08** - 8U

2 Body Depth
Overall Depth

- 21" ^
- 24"
- 27"
- 30"

3 Rack Depth
Equipment Depth

- **18** - 18"/457 mm
- **21** - 21"/534 mm
- **24** - 24"/610 mm
- **27** - 27"/686 mm
- **30** - 30"/762 mm

4 Cover Height
Interior Depth

- **03** - 3.7" / 76 mm
- **05** - 5" / 127 mm

5 Select Options
See available options below

COLORS

- **BK** - Black 27040
- **DB** - Dark Blue 25102
- **DS** - Desert Sand 33446
- **FG** - Forest Green 24052
- **GR** - Gray 26270
- **MR** - Maroon PMS 202
- **MB** - Medium Blue 25190
- **NA** - Natural
- **NG** - NATO Green RAL6014
- **OD** - Olive Drab 24097
- **OR** - Orange 12197
- **RD** - Red 21105
- **WH** - White 27925
- **YW** - Yellow 23785

SHOCK MOUNTS
(Equipment Weight)

- **01** - 20 to 49 lbs
- **02** - 50 to 80 lbs
- **03** - 81 to 150 lbs

Call for loads over 150 lbs

ENVIROMENT

- **00** - None Required
- **HI** - Humidity Indicator
- **PV** - Pressure Valve
- **PH** - PV. HI
- **WT** - Watertight, PV
- **WV** - WT, HI, PV .

RACK HOLE STYLE

- **EI** - Std. EIA (10-32)
- **M5** - M5 Metric Tapped
- **M6** - M6 Metric Tapped
- **SQ** - Square

HARDWARE & HANDLES

Watertight option not available with locking Hasps.

Metal Handles

- **00** - Standard Zinc Chromate Handle & Hardware
- **LL** - Zinc Chromate Handle & Hardware, Locking Hasp
- **BH** - Black Metal Handle & Hardware
- **BL** - Black Metal Handle & Hardware, Locking Hasp & Hardware
- **SS** - Stainless Steel Handle & Hardware
- **LS** - Stainless Steel Handle & Hardware, Locking Hasp

Plastic Handles

- **P0** - Plastic Black Handle, Zinc Hardware
- **PB** - Plastic Black Handle, Black Hardware
- **PS** - Plastic Black Handle, Stainless Steel Hardware
- **P1** - Plastic Black Handle, Zinc Hardware, Locking Hasp
- **P2** - Plastic Black Handle, Stainless Steel Hardware, Locking Hasp
- **P3** - Plastic Black Handle, Black Hardware, Locking Hasp

SHELVES / DRAWERS

- **00** - None Required
- **EA** - Equipment Angle
- **FS** - Fixed Shelf
- **IR** - Intermediate Rails
- **KT** – Keyboard Tray
- **RS** – Rack Slides
- **SD** – Sliding Drawer
- **SF** – Sliding Shelf

OTHER ACCESSORIES

- **00** - None Required
- **CA** - Removable Casters (4)
- **CH** - Card Holder
- **CR** - Chair
- **CS** - Coupling Straps
- **LR** - Lifting/Tie Down Rings
- **SP** - Storage Pouch
- **TB** - Table

Combinations


- **Z1** - CH, SP
- **Z2** - CA, CS
- **Z3** - CA, CH, CS, SP
- **Z4** - CA, CH, CS, LR, SP
- **Z5** - CH, LR
- **Z6** - CS, SP
- **ZC** - CA, LR
- **ZD** - CA, CH, LR
- **ZE** - CA, CH, LR, SP
- **ZF** - CA, SP

CONFIGURE YOUR
WARRIOR STORAGE CASE

HOW TO MEASURE AND BUILD YOUR PART NUMBER

UNDERSTANDING STORAGE CASE DIMENSIONS

Use the dimension guide below to identify the measurements referenced throughout the configuration options and specification tables.



Scan here to choose your configuration needs

PART NUMBER BUILDER

ZDC							00				00	00	
SERIES	EIA UNITS	BODY DEPTH	RACK DEPTH	FRONT COVERS	REAR COVERS	COLOR	SHOCK MOUNTS	ENVIROMENT	HARDWARE	RACK HOLES	SHELVES/ DRAWERS	OTHER OPTIONS

1 EIA Units
Front/Rear

- **04** - 4U
- **05** - 5U
- **06** - 6U
- **07** - 7U
- **09** - 9U
- **11** - 11U
- **14** - 14U

2 Body Depth
Overall Depth

- 21”
- 24"
- 27”
- 30”

3 Rack Depth
Equipment Depth

- **18** - 18"/457 mm
- **21** - 21"/534 mm
- **24** - 24"/610 mm
- **27** - 27"/686 mm
- **30** - 30"/762 mm

4 Cover Height
Interior Depth

- **03** - 3.7” / 76 mm
- **05** - 5” / 127 mm

5 Select Options
See available options below

COLORS

- **BK** - Black 27040
- **DB** - Dark Blue 25102
- **DS** - Desert Sand 33446
- **FG** - Forest Green 24052
- **GR** - Gray 26270
- **MR** - Maroon PMS 202
- **MB** - Medium Blue 25190
- **NA** - Natural
- **NG** - NATO Green RAL6014
- **OD** - Olive Drab 24097
- **OR** - Orange 12197
- **RD** - Red 21105
- **WH** - White 27925
- **YW** - Yellow 23785

SHOCK MOUNTS
(Equipment Weight)

- **00** - None Required

ENVIROMENT

- **00** - None Required
- **HI** - Humidity Indicator
- **PV** - Pressure Valve
- **PH** - PV, HI
- **WT** - Watertight, PV
- **WV** - WT, HI, PV .

RACK HOLE STYLE

- **00** - None Required

HARDWARE & HANDLES

Watertight option not available with locking Hasps.

Metal Handles

- **00** - Standard Zinc Chromate Handle & Hardware
- **LL** - Zinc Chromate Handle & Hardware, Locking Hasp
- **BH** - Black Metal Handle & Hardware
- **BL** - Black Metal Handle & Hardware, Locking Hasp & Hardware
- **SS** - Stainless Steel Handle & Hardware
- **LS** - Stainless Steel Handle & Hardware, Locking Hasp

Plastic Handles

- **P0** - Plastic Black Handle, Zinc Hardware
- **PB** - Plastic Black Handle, Black Hardware
- **PS** - Plastic Black Handle, Stainless Steel Hardware
- **P1** - Plastic Black Handle, Zinc Hardware, Locking Hasp
- **P2** - Plastic Black Handle, Stainless Steel Hardware, Locking Hasp
- **P3** - Plastic Black Handle, Black Hardware, Locking Hasp

SHELVES / DRAWERS

- **00** - None Required

OTHER ACCESSORIES


- **00** – None Required
- **CH** – Card Holder
- **CS** – Coupling Straps
- **SP** – Storage Pouch

Combinations

- **Z1** – Card Holder & Storage Pouch

NEED A CUSTOM SOLUTION?

Work directly with our engineering team to develop a case tailored to your equipment, environment, and performance requirements. Zero simplifies the process while delivering uncompromising protection and reliability.



OUR CUSTOM PROCESS

01 Share Your Requirments
Tell us about your equipment, enviroment, and performance needs.

02 Collaborate with Our Team
Our engineers develop a solution tailored to your application

03 Build Your Solution
Move from design to precision manufacturing with proven quality.

LET'S BUILD THE RIGHT SOLUTION

SCAN TO START YOUR CUSTOM CASE

EXPLORE MORE
ENGINEERED RACKMOUNT SOLUTIONS



SCOUT ™
LIGHTWEIGHT RACKMOUNT PROTECTION FOR DEMANDING ENVIRONMENTS

- Lightweight Construction
- Shock Mounted
- Double-Entry Access
- Field Deployment
- Portable Design



ZERAK ™
LIGHTWEIGHT ALUMINUM PERFORMANCE

- Aluminum
- Lightweight
- Compact
- Up to 40G Protection
- Stackable
- EMI/RFI Shielding Available



VAL-AN ™ 900
HEAVY-DUTY SHOCK-MOUNTED PROTECTION

- Aluminum
- Shock Mounted
- Heavy Duty
- Hard or Shock Mounted Options

FIND YOUR RACKMOUNT SOLUTION

Compare Zero's rackmount systems to find the right balance of protection, weight, and configuration flexibility.









	WARRIOR	SCOUT	ZERAK	VAL-AN 900
Construction	Rotomolded Plastic	Rotomolded Plastic	Rotomolded Plastic	Rotomolded Plastic
Primary Advantage	Rugged Shock Protection	Lightweight rackmount protection	Lightweight Aluminum	Heavy-duty protection
Shock Mounting	✓	✓	Configuration dependent	✓
Double-Entry Access	✓	✓	Verify configuration	Verify configuration
Configuration Flexibility	Multiple rack and cover depths	Multiple rack configurations	Aluminum rackmount options	Heavy-duty rack options
Best For	Demanding field environments	Mobile, weight-sensitive equipment	Lightweight aluminum applications	Heavy-duty equipment protection