



GUARDIAN

BY ZERO

GUARDIAN cases are engineered to adapt to your equipment, with customizable interiors, mounting options, and configurations that ensure a precise fit and maximum protection.



GUARDIAN SERIES

PROTECTION DESIGNED AROUND YOUR EQUIPMENT

No two applications are the same—your case shouldn't be either.

GUARDIAN cases are engineered to adapt to your equipment, with customizable interiors, mounting options, and configurations that ensure a precise fit and maximum protection.

From sensitive electronics to rugged field gear, every solution is built to perform under real-world conditions.

KEY FEATURES

1. Telescoping handles for easy transport
2. Two-man lift handles for heavier loads
3. Stackable, nestable case design
4. Replaceable steel-axle wheels
5. Integrated padlock holes — no drilling required
6. Automatic pressure equalization valves
7. Single-piece O-ring seal for waterproof protection
8. Removable lids for improved accessibility
9. Custom panel mounting capabilities
10. Standard or custom-cut foam interiors
11. Label-ready name tag areas (no engraving required)
12. Reinforced soft-grip handles for durability and comfort




INTERIOR & MOUNTING OPTIONS



**CUSTOM FOAM
INSERTS**



**PLASTIC & METAL
MOUNTING CLIPS**



**PANEL
RINGS**



**EQUIPMENT
MOUNTING PANELS**

**IP67
WATERPROOF
& DUSTPROOF**

**DEF STAN 81-41
LEVEL J**

**STANAG 4280
(EDITION 2)**

**MIL-STD 810F /
810G
(MODEL DEPENDENT)**

**ROHS
COMPLIANT**

GUARDIAN 1108



DIMENSIONS

INTERNAL (L × W × D)

276 × 200 × 120 mm

10 7/8 × 7 7/8 × 4 3/4 in

EXTERNAL (L × W × D)

305 × 270 × 144 mm

12 × 10 5/8 × 5 11/16 in

LID / BASE DEPTH

35 / 85 mm

1 3/8 / 3 3/8 in

WEIGHT & CAPACITY

Empty: 1.62 kg / 3.57 lbs

With Foam: 1.83 kg / 4.03 lbs

Volume: 6.6 L / 1.58 gal

Buoyancy: 4.2 kg / 9.25 lbs

PART NUMBERS

Empty: ZG-1108-0301-E-B

Standard Foam: ZG-1108-030-F-B

Custom Interior: ZG-1108-030-C-B

Temp Rating: -33°C to +90°C (-27.4°F to +194°F)

FEATURES:

Black Finish

Removable Lid

GUARDIAN 1511



DIMENSIONS

INTERNAL (L × W × D)

480 × 370 × 205 mm

18 7/8 × 14 9/16 × 8 1/16 in

EXTERNAL (L × W × D)

520 × 435 × 230 mm

20 1/2 × 17 1/8 × 9 1/16 in

LID / BASE DEPTH

50 / 155 mm

1 15/16 / 6 1/8 in

WEIGHT & CAPACITY

Empty: 4.64 kg / 10.22 lbs

With Foam: 5.40 kg / 11.90 lbs

Volume: 35.5 L / 9.24 gal

Buoyancy: 24.7 kg / 54.45 lbs

PART NUMBERS

Empty: ZG-1915-0602-E-B

Standard Foam: ZG-1915-0602-F-B

Custom Interior: ZG-1915-0602-C-B

Temp Rating: -33°C to +90°C (-27.4°F to +194°F)

FEATURES:

Black Finish

Soft Grip

Rubber Handle

GUARDIAN 1714D



DIMENSIONS

INTERNAL (L × W × D)

445 × 345 × 190 mm

17 1/2 × 13 9/16 × 7 1/2 in

EXTERNAL (L × W × D)

474 × 415 × 214 mm

18 11/16 × 16 5/16 × 8 7/16 in

LID / BASE DEPTH

47 / 143 mm

1 7/8 / 5 5/8 in

WEIGHT & CAPACITY

Empty: 4.00 kg / 8.81 lbs

With Foam: 4.70 kg / 10.36 lbs

Volume: 29.2 L / 7.66 gal

Buoyancy: 19.7 kg / 43.43 lbs

PART NUMBERS

Empty: ZG-1714-0602-E-B

Standard Foam: ZG-1714-0602-F-B

Custom Interior: ZG-1714-0602-C-B

Temp Rating: -33°C to +90°C (-27.4°F to +194°F)

FEATURES:

Black Finish

Removable Lid

Optional Shoulder Strap

Soft Grip

Rubber Handle

GUARDIAN 1915



Temp Rating: -33°C to +90°C (-27.4°F to +194°F)

DIMENSIONS

INTERNAL (L × W × D)

480 × 370 × 205 mm
18 7/8 × 14 9/16 × 8 1/16 in

EXTERNAL (L × W × D)

520 × 435 × 230 mm
20 1/2 × 17 1/8 × 9 1/16 in

LID / BASE DEPTH

50 / 155 mm
1 15/16 / 6 1/8 in

WEIGHT & CAPACITY

Empty: 4.64 kg / 10.22 lbs
With Foam: 5.40 kg / 11.90 lbs
Volume: 35.5 L / 9.24 gal
Buoyancy: 24.7 kg / 54.45 lbs

PART NUMBERS

Empty: ZG-1915-0602-E-B
Standard Foam: ZG-1915-0602-F-B
Custom Interior: ZG-1915-0602-C-B

FEATURES:

Black Finish

Soft Grip

Rubber Handle

GUARDIAN 2011W



Temp Rating: -33°C to +90°C (-27.4°F to +194°F)

DIMENSIONS

INTERNAL (L × W × D)

517 × 277 × 217 mm
20 3/8 × 10 7/8 × 8 9/16 in

EXTERNAL (L × W × D)

546 × 347 × 247 mm
21 1/2 × 13 11/16 × 9 3/4 in

LID / BASE DEPTH

50 / 167 mm
1 15/16 / 6 9/16 in

WEIGHT & CAPACITY

Empty: 6.00 kg / 13.22 lbs
With Foam: 7.00 kg / 15.43 lbs
Volume: 31.0 L / 8.18 gal
Buoyancy: 21.5 kg / 47.39 lbs

PART NUMBERS

Empty: ZG-2011-0702-E-B-W
Standard Foam: ZG-2011-0702-F-B-W
Custom Interior: ZG-2011-0702-C-B-W

FEATURES:

Black Finish

Removable Lid

Soft Grip

Rubber Handle

Telescoping Handle

Wheels with Bearings

GUARDIAN 2116W



Temp Rating: -33°C to +90°C (-27.4°F to +194°F)

DIMENSIONS

INTERNAL (L × W × D)

538 × 405 × 250 mm
21 3/16 × 15 15/16 × 9 13/16 in

EXTERNAL (L × W × D)

267 × 475 × 292 mm
24 11/16 × 18 11/16 × 11 1/2 in

LID / BASE DEPTH

60 / 190 mm
2 3/8 / 7 1/2 in

WEIGHT & CAPACITY

Empty: 10.00 kg / 22.04 lbs
With Foam: 11.25 kg / 24.80 lbs
Volume: 53 L / 14.00 gal
Buoyancy: 37.2 kg / 82.01 lbs

PART NUMBERS

Empty: ZG-2116-0802-E-B-W
Standard Foam: ZG-2116-0802-F-B-W
Custom Interior: ZG-2116-0802-C-B-W

FEATURES:

Black Finish

Removable Lid

Soft Grip

Rubber Handle

Telescoping Handle

Wheels with Bearings

Two-Man Side Handles

Stainless-Steel Reinforced Padlock Holes

GUARDIAN 2317W



Temp Rating: -33°C to +90°C (-27.4°F to +194°F)

DIMENSIONS

INTERNAL (L × W × D)

580 × 440 × 220 mm

22 13/16 × 17 5/16 × 13 in

EXTERNAL (L × W × D)

670 × 510 × 372 mm

26 3/8 × 20 1/16 × 10 5/16 in

LID / BASE DEPTH

60 / 160 mm

2 3/8 / 6 5/16 in

WEIGHT & CAPACITY

Empty: 9.17 kg / 20.21 lbs

With Foam: 10.40 kg / 22.92 lbs

Volume: 56.10 L / 14.79 gal

Buoyancy: 36.70 kg / 80.90 lbs

PART NUMBERS

Empty: ZG-2317-0602-E-B-W

Standard Foam: ZG-2317-0602-F-B-W

Custom Interior: ZG-2317-0602-C-B-W

FEATURES:

Black Finish

Soft Grip

Rubber Handle

Telescoping Handle

Wheels with Bearings

Two-Man Side Handles

GUARDIAN 2317D



Temp Rating: -33°C to +90°C (-27.4°F to +194°F)

DIMENSIONS

INTERNAL (L × W × D)

580 × 440 × 330 mm

22 13/16 × 17 5/16 × 13 in

EXTERNAL (L × W × D)

670 × 510 × 372 mm

26 3/8 × 20 1/16 × 14 5/8 in

LID / BASE DEPTH

60 / 270 mm

2 3/8 / 10 5/8 in

WEIGHT & CAPACITY

Empty: 10.54 kg / 23.23 lbs

With Foam: 12.65 kg / 27.88 lbs

Volume: 84.2 L / 22.19 gal

Buoyancy: 62 kg / 136.68 lbs

PART NUMBERS

Empty: ZG-2317-1102-E-B-W

Standard Foam: ZG-2317-1102-F-B-W

Custom Interior: ZG-2317-1102-C-B-W

FEATURES:

Black Finish

Soft Grip

Rubber Handle

Telescoping Handle

Wheels with Bearings

Two-Man Side Handles

GUARDIAN 3019



Temp Rating: -33°C to +90°C (-27.4°F to +194°F)

DIMENSIONS

INTERNAL (L × W × D)

765 × 485 × 305 mm

30 1/8 × 19 1/8 × 12 in

EXTERNAL (L × W × D)

860 × 560 × 355 mm

33 7/8 × 22 1/16 × 14 in

LID / BASE DEPTH

60 / 245 mm

2 3/8 / 9 5/8 in

WEIGHT & CAPACITY

Empty: 13.56 kg / 28.89 lbs

With Foam: 16.39 kg / 36.13 lbs

Volume: 113.1 L / 29.85 gal

Buoyancy: 81.8 kg / 188.33 lbs

PART NUMBERS

Empty: ZG-3019-1002-E-B-W

Standard Foam: ZG-3019-1002-F-B-W

Custom Interior: ZG-3019-1002-C-B-W

FEATURES:

Black Finish

Telescoping Handle

Wheels with Bearings

Two-Man Side Handles

Large Front Handle

GUARDIAN 3019D



DIMENSIONS

INTERNAL (L × W × D)

765 × 485 × 415 mm

30 1/8 × 19 1/8 × 16 5/16 in

EXTERNAL (L × W × D)

860 × 560 × 460 mm

33 7/8 × 22 1/16 × 18 1/5 in

LID / BASE DEPTH

60 / 355 mm

2 3/8 / 14 in

WEIGHT & CAPACITY

Empty: 15.02 kg / 33.11 lbs

With Foam: 18.87 kg / 36.13 lbs

Volume: 153.9 L / 40.1 gal

Buoyancy: 118.5 kg / 261.24 lbs

PART NUMBERS

Empty: ZG-1915-0602-E-B

Standard Foam: ZG-1915-0602-F-B

Custom Interior: ZG-1915-0602-C-B

Temp Rating: -33°C to +90°C (-27.4°F to +194°F)


FEATURES:

Black Finish

Telescoping Handle

Wheels with Bearings

Two-Man Side Handles



NEED A CUSTOM SOLUTION?

Every Guardian case can be customized with precision-engineered foam, equipment mounting, panel integration, and value-added modifications to create a solution tailored to your application.



ENGINEERED FOR YOUR APPLICATION

Work directly with our engineering team to develop a case tailored to your equipment, environment, and performance requirements. Zero simplifies the process while delivering uncompromising protection and reliability.

REMARKS	MODEL #	LENGTH (IN)	WIDTH (IN)	HEIGHT (IN)
-	ZG-0805-0301	7.48	4.92	3.35
-	ZG-0805-0501	7.48	4.92	5.31
-	ZG-0906-0301	8.66	6.30	3.74
-	ZG-0906-0501	8.66	6.30	5.71
-	ZG-1108-0301	10.87	7.87	4.72
-	ZG-1108-0601	10.87	7.87	6.69
HL SERIES	ZG-1108-0301	10.87	7.87	4.72
HL SERIES	ZG-1108-0601	10.87	7.87	6.69
-	ZG-1309-0403	12.99	9.21	6.69
HL SERIES	ZG-1309-0403	12.99	9.21	6.69
HL SERIES	ZG-1511-0402	14.96	10.63	6.10
-	ZG-1511-0502	14.96	10.63	7.09
HL SERIES	ZG-1511-0502	14.96	10.63	7.09
HL SERIES	ZG-1511-0702	14.96	10.63	9.06
HL SERIES	ZG-1612-0401	16.54	11.81	3.74
HL SERIES	ZG-1612-0601	16.54	11.81	6.50
-	ZG-1714-0402	17.32	13.58	4.92
HL SERIES	ZG-1714-0402	17.32	13.58	4.92
-	ZG-1714-0602	17.32	13.58	7.48
HL SERIES	ZG-1714-0602	17.32	13.58	7.48
-	ZG-2011-0502	20.35	10.91	6.81
-	ZG-2011-0702	20.35	10.91	8.54
-	ZG-1915-0602	18.90	14.57	8.07
HL SERIES	ZG-1915-0602	18.90	14.57	8.07
HL SERIES	ZG-1915-0602	18.90	14.57	10.04
HL SERIES	ZG-2111-0601	20.51	11.18	7.09
HL SERIES	ZG-2111-0602	20.51	11.18	8.27
-	ZG-2116-0702	21.18	15.94	9.84
-	ZG-2116-0802	21.18	15.94	9.84
-	ZG-2317-0602	22.83	17.32	8.66
-	ZG-2317-1102	22.83	17.32	12.99
HL SERIES	ZG-3016-0703	30.04	15.71	10.24
-	ZG-3019-1002	30.12	19.09	12.01
HL SERIES	ZG-3016-1202	30.04	15.71	13.78
-	ZG-3019-1402	30.12	19.09	16.34
HL SERIES	ZG-3023-0703	30.31	22.83	10.43
HL SERIES	ZG-3023-1403	30.31	22.83	17.72
HL SERIES	ZG-3114-0402	30.71	13.78	5.71
HL SERIES	ZG-3512HL	34.65	11.81	12.01
HL SERIES	ZG-3512HL-1201	34.65	11.81	12.01
-	ZG-3714-0402	37.01	13.78	5.39
-	ZG-4414-0402	44.72	13.78	5.31
-	ZG-5314-0402	53.15	13.78	5.31
-	ZG-4224-0808	42.52	24.41	15.75
STACKABLE	ZG-2315T	20.31	11.65	17.91
STACKABLE	ZG-2315T	20.31	11.65	17.91

HL SERIES · HEAVENLY LIGHT

The lightest cases in their size category, with 25–30% less weight while maintaining the same resistance and protection.



ZEROCASES.COM | 1-801-298-5900 | QUOTES@ZEROCASES.COM