




THE ZERO MANUFACTURING, INC. TRANSITAINER™ line represents the ultimate in total packaging capability at a very affordable price. Transitainers™ provide a highly reliable, cost effective alternative to other types of shipping/storage and transit cases. These cases are also available through our Quick-Ship Program.

Details available at www.zerocases.com/quickship

The Transitainer incorporates the total package at an affordable price and has outstanding durability and performance. With easy storage and transit with trouble free stacking, the Transitainer is perfect for shipment and storage of such items as:

- Field portable, sensitive electronic instruments
- Military applications, monitoring equipment
- Seismic, pollution control instrumentation
- Airport, flight guidance systems
- Telecommunications equipment
- Field communications systems
- Field computer systems
- Test equipment



CASE FEATURES

- Made from rotationally molded polyethylene plastic
- Compounded color impregnated directly into durable polyethylene plastic shells
- Gasketed construction with integral tongue and groove closure interlocks top and bottom for environmental protection
- Meets ATA 300 Category 1, and applicable portions of MIL-PRF-28800, MIL-C-4150 and MIL-STD-108 specifications
- Recessed hardware for added protection
- Wide range of colors available using FED-STD-595 guidelines
- Spring-loaded, rattle proof handles with 90° stops
- Cam action, positive latches
- Interlocking ribs, top and bottom allow for stacking of containers
- Resists most chemicals and solvents

BUILD YOUR OWN ZERO TRANSITAINER™

BUILD YOUR PART NUMBER

ZRC INTERIOR CASE WIDTH + LENGTH BOTTOM & TOP TRAYS Sort Alphabetically

CASE NUMBER

RELIEF VALVE

- E** - None Required
- A** - Automatic Relief Valve
- D** - Hole Only

CUSHIONING ⁺

- 1** - Custom Design
- 2** - None Required
- 3** - Blank Foam Pack 1.6 to 2.0 lbs/cu ft Polyurethane (Soft Foam)
- 4** - Blank Foam Pack 1.7-2.0 lbs/cu ft Polyethylene (Hard Foam)

COLORS

- B** - Black 27040
- DB** - Dark Blue 25102
- DS** - Desert Sand 33446
- FG** - Forest Green 24052
- G** - Gray 26270
- GG** - Dark Green 34094
- M** - Maroon PMS 202
- MB** - Medium Blue 25190
- N** - Natural
- NG** - NATO Green RAL6014
- OD** - Olive Drab 24097
- O** - Orange 12197
- R** - Red 21105
- W** - White 27925
- XG** - Green 34108
- Y** - Yellow 23785

FED-STD-595 for reference.

OTHER OPTIONS

- BH** - Black Metal Handle and Hardware
- CA** - Removable Casters (set of 4)
- CH** - Card Holder
- HC** - Hinged Cover
- HI** - Humidity Indicator
- LL** - Locking Hasp
- LR** - Lifting/Tie Down Rings
- MH** - Metal Handle (Zinc Plated, Yellow Chromate)
- PH** - Plastic Black Handle
- RC** - Reversed Cover
- RS** - Roller System w/Retractable Handle
- SS** - Stainless Steel Handle and Hardware
- WT** - Watertight (Seal Rivets and Test)

Watertight may not be combined with Hinged Cover, Roller System or Locking Hasp options.



Call 800-959-5050 and Request Quick-Ship Today!



EXAMPLE PART NUMBERS

ZRC1512-0503A4YBHCALL = YELLOW CONTAINER WITH RELIEF VALVE, POLYETHYLENE CUSHIONS, BLACK HARDWARE, CASTERS, AND LOCKING HASP

Contact ZERO for design and engineering assistance to meet specific requirements and custom colors. Call 1.800.500.9376

Watertight or Hinged Cover: Not all sizes are available.

Lifting Rings: Verify the application does not exceed the load carrying capacity of the lifting rings or case.

Stacking: Verify weight and support.

NOTES & EXCEPTIONS:

Watertight not available with Locking Hasps or Roller System.

⁺ Not available for Quick-Ship. Requires additional lead time.

Depending on case size, some options may not be available.

HOW TO ORDER CASES:

Standard Cases:

1. Go to www.zerocases.com/contact-us.html to find your local distributor or reseller.
2. Call 800-959-5050 or email orders@zerocases.com to place and order directly with ZERO.

Customized Cases:

1. Go to www.zerocases.com/contact-us.html to find your local representative and request a quote or email your RFQ to quotes@zerocases.com.

Quick-Ship Cases:

1. Go to www.zerocases.com/quickship to see case sizes for low-quantity orders with 5 to 10 day delivery times ARO.





TRANSITAINER BASE PART #	INTERIOR DIMENSIONS					EXTERIOR DIMENSIONS			LATCH QTY	HANDLE QTY	WEIGHT LB/KG	NOTE	NSN
	WIDTH inch/mm	LENGTH inch/mm	HEIGHT inch/mm	BASE H ₂ inch/mm	COVER H ₁ inch/mm	WIDTH inch/mm	LENGTH inch/mm	HEIGHT inch/mm					
ZRC0808-1002	7.70/196	7.70/196	11.38/289	9.45/240	1.93/49	11.75/298	11.75/298	12.75/324	4	1	6.00/2.72		8145-01-582-5025
ZRC1010-1103	10.00/254	10.00/254	13.74/349	11.18/284	2.56/65	13.75/349	13.75/349	13.07/332	4	2	13.00/5.90		8145-01-582-5030
ZRC1010-1503	10.00/254	10.00/254	17.74/451	15.20/386	2.56/65	13.75/349	13.75/349	19.38/492	4	2	14.50/6.58		8145-01-582-5037
ZRC1212-1503	12.00/305	12.00/305	18.00/457	15.00/381	2.99/76	15.25/387	15.25/387	19.50/495	6	2	16.30/7.39		8145-01-582-5039
ZRC1512-0503	14.88/378	12.13/308	7.68/195	4.76/121	2.91/74	16.88/429	14.12/359	9.44/240	6	2	8.00/3.63		
ZRC1513-0704	13.50/343	15.00/381	11.00/279	7.19/182	4.19/106	16.75/426	18.25/464	11.93/303	6	2	4.00/1.02		8145-01-582-5591
ZRC1612-2204	16.63/422	13.25/337	26.37/670	22.36/568	4.02/102	20.38/518	17.00/432	28.00/711	6	2	19.00/8.62		8145-01-582-5043
ZRC1616-0505	16.00/406	16.00/406	10.00/254	5.00/127	5.00/127	19.25/489	19.25/489	11.50/292	6	2	10.50/4.76		
ZRC1616-1805	16.00/406	16.00/406	23.00/584	17.99/457	5.00/127	19.25/489	19.25/489	24.50/622	6	2	24.00/10.89		8145-01-582-5047
ZRC1713-0403	17.00/432	13.00/330	7.00/178	4.02/102	2.99/76	20.25/514	16.25/413	8.31/211	6	2	9.30/4.22	1	8145-01-582-5059
ZRC1717-0905	17.00/432	17.00/432	14.00/356	9.02/229	5.00/127	20.25/514	20.25/514	15.38/391	8	2	17.00/7.71		8145-01-582-5063
ZRC1717-0909	17.00/432	17.00/432	18.00/457	9.02/229	9.02/229	20.25/214	20.25/514	19.38/492	8	2	24.50/11.11		8145-01-582-5068
ZRC1814-1504	18.00/457	14.50/368	19.00/483	15.00/381	4.02/102	21.25/540	17.75/451	20.63/524	6	2	24.50/11.11	1	8145-01-582-5075
ZRC1916-1404	19.50/495	17.00/432	18.00/457	13.74/349	4.25/108	22.75/578	20.25/514	19.65/499	8	2	24.50/11.11		8145-01-582-5077
ZRC2013-0903	20.00/508	13.00/330	12.00/305	9.02/229	2.99/76	23.25/591	16.25/413	13.50/343	8	2	19.30/8.75	1	8145-01-582-5094
ZRC2020-1404	20.00/508	20.00/508	18.00/457	14.02/356	4.02/102	23.25/591	23.25/591	19.38/492	8	2	27.00/12.25		8145-01-582-5097
ZRC2020-1406	20.00/508	20.00/508	20.00/508	14.02/356	5.98/152	23.25/591	23.25/591	21.38/543	8	2	30.50/13.83		8145-01-582-5103
ZRC2216-1205	22.00/559	16.00/406	17.00/432	12.01/305	5.00/127	25.25/654	19.25/489	18.50/470	8	2	26.50/12.02	1	8145-01-582-5109
ZRC2221-0604	22.50/572	21.00/533	10.12/257	5.83/148	4.29/109	25.75/654	24.25/616	11.00/279	8	2	20.00/9.07		
ZRC2221-0804	22.50/572	21.00/533	12.06/306	7.76/197	4.29/109	25.75/654	24.25/616	12.94/329	8	2	24.05/11.11		8145-01-582-5113
ZRC2221-1204	22.50/572	21.00/533	16.56/421	12.24/311	4.29/109	25.75/654	24.25/616	18.31/465	8	2	31.30/14.20		8145-01-582-5115
ZRC2221-1205	22.50/572	21.00/533	17.56/446	12.24/311	5.32/135	25.75/654	24.25/616	19.31/490	8	2	31.30/14.20	1	8145-01-582-5119
ZRC2311-1304	22.75/578	10.75/273	18.12/460	13.54/344	4.57/116	26.00/660	14.00/356	19.88/505	8	2	21.00/9.53		8145-01-582-5140
ZRC2313-1104	23.25/591	13.19/335	15.37/390	11.25/286	4.5/114	26.25/667	16.00/406	15.85/403	8	4	21.50/9.75		8145-01-582-5599
ZRC2423-0505	24.00/610	23.00/584	14.00/356	5.44/170	5.44/170	28.00/711	27.00/686	15.63/397	12	2	33.00/14.97		8145-01-582-5143
ZRC2423-0904	24.00/610	23.00/584	13.00/330	9.02/229	4.02/102	27.25/692	26.25/667	15.50/394	10	4	33.50/15.20	1	8145-01-582-5146
ZRC2423-1104	24.00/610	23.00/584	15.00/381	10.98/279	4.02/102	27.25/692	26.25/667	17.50/445	10	4	35.00/15.88	1	8145-01-582-5150
ZRC2521-0904	25.00/635	21.00/533	12.81/325	8.23/209	4.61/117	28.50/724	24.25/616	14.56/370	10	4	29.00/13.15		8145-01-582-5153
ZRC2522-1305	25.90/658	22.70/577	17.85/453	12.83/326	5.00/127	30.63/778	27.44/697	23.00/584	12	2	30.00/13.61	1, 2	8145-01-582-5157
ZRC2522-2005	25.00/635	22.00/559	25.00/635	12.83/508	5.00/127	28.25/718	25.25/614	26.75/679	12	2	44.00/19.96	2	8145-01-582-5162
ZRC2617-0604	26.00/660	17.00/432	10.06/256	6.06/154	4.02/102	29.25/743	20.25/514	11.81/300	8	2	26.00/11.79	1	8145-01-582-5165
ZRC2617-0605	26.00/660	17.00/432	11.06/281	6.06/154	5.00/127	29.25/743	20.25/514	12.81/325	8	2	28.30/12.84	1	8145-01-582-5172
ZRC2617-1104	26.00/660	17.00/432	15.06/383	11.06/281	4.02/102	29.25/743	20.25/514	16.81/427	8	2	26.50/12.02	1	8145-01-582-5604
ZRC2617-1105	26.00/660	17.00/432	16.06/408	11.06/281	5.00/127	29.25/743	20.25/514	17.81/452	8	2	27.00/12.25	1	8145-01-582-5613
ZRC2624-0805	26.00/660	24.00/610	13.00/330	7.99/203	5.00/127	29.25/743	27.25/692	14.75/375	10	4	30.50/13.83		
ZRC2624-1805	26.00/660	24.00/610	23.00/584	17.99/457	5.00/127	29.25/743	27.25/692	24.75/629	10	4	33.50/15.20		8145-01-582-5620
ZRC2727-0909	27.00/686	27.00/686	18.00/457	9.02/229	9.02/229	30.25/768	30.25/768	19.75/502	10	4	43.00/19.50		
ZRC2727-1809	27.00/686	27.00/686	27.00/686	17.99/457	9.02/229	30.25/768	30.25/768	28.75/730	10	4	51.00/23.13		8145-01-582-5639
ZRC2818-0904	28.00/711	18.00/584	13.00/330	9.02/229	4.02/102	31.25/794	21.25/540	14.38/365	10	2	30.00/13.61		8145-01-582-5686
ZRC2914-0905	29.00/737	14.00/356	14.00/356	9.02/229	5.00/127	32.25/819	17.25/438	15.41/391	10	2	30.50/13.83		8145-01-582-5643
ZRC3018-0904W	30.00/762	18.00/584	13.56/344	9.75/248	3.81/97	33.25/845	21.25/540	14.38/365	10	6	34.50/15.65	6	
ZRC3018-0905	30.00/762	18.00/584	14.25/362	9.25/235	5.00/127	33.25/845	21.25/540	15.88/403	10	2	34.50/15.65	1	8145-01-582-5655
ZRC3018-0905W	30.00/762	18.00/584	14.25/362	9.25/235	5.00/127	33.25/845	21.25/540	15.88/403	10	6	34.50/15.65	1, 6	8145-01-582-5655
ZRC3018-1405	30.00/762	18.00/457	19.00/483	14.02/356	5.00/127	33.25/845	21.25/540	20.63/524	10	2	37.80/17.15		8145-01-582-5661
ZRC3113-0804	31.00/787	13.00/330	12.00/305	7.99/203	4.02/102	34.25/870	16.25/413	13.31/338	10	2	22.50/10.21		8145-01-582-5667
ZRC3329-0604	29.50/749	33.75/857	10.31/262	6.10/155	4.21/107	33.60/851	37.75/959	14.87/378	10	2	43.00/19.50		8145-01-582-5671
ZRC3329-0610	33.75/857	29.50/749	16.31/414	10.24/260	6.10/155	37.75/959	33.50/851	20.75/527	10	4	60.00/27.22	2	8145-01-582-5674
ZRC3419-1405	33.75/857	18.75/476	19.65/499	14.65/372	5.00/127	37.00/940	22.00/559	21.00/533	10	4	39.50/17.92		8145-01-582-5675
ZRC3424-0804	34.50/876	24.50/622	12.31/313	7.99/203	4.29/109	37.75/959	27.75/705	14.44/368	12	4	45.00/20.41	1	8145-01-582-5913
ZRC3424-1204	34.50/876	24.50/622	16.25/413	11.93/303	4.29/109	37.75/959	27.75/705	18.38/467	12	4	48.00/21.77	1	8145-01-582-5680
ZRC3424-1205	34.00/864	24.00/610	17.00/432	12.01/305	5.00/127	37.25/946	27.25/692	18.38/467	12	4	48.00/21.77	1	8145-01-582-5915
ZRC3428-2510	34.00/864	28.00/711	35.00/889	25.00/635	10.00/254	37.25/946	31.25/794	37.13/943	14	4	69.00/31.30	5	8145-01-582-5682
ZRC3620-1705	36.00/914	20.00/508	22.00/559	17.01/432	5.00/127	39.25/997	23.25/591	23.75/603	12	2	47.00/21.32		8145-01-582-6400
ZRC3729-1704	37.00/940	29.00/737	21.80/554	17.44/443	4.37/111	41.00/1041	33.00/939	25.06/637	14	4	60.00/27.22	2, 3	8145-01-582-6402
ZRC3729-1715	37.00/940	29.00/737	32.74/832	17.44/443	15.32/389	41.00/1041	33.00/838	37.50/953	14	4	72.00/32.66	2	8145-01-582-6404
ZRC4020-1003	40.13/1019	20.25/514	13.19/335	9.96/253	3.23/82	43.38/1102	25.00/635	18.25/464	14	4	42.00/19.05	2	8145-01-582-6405
ZRC4020-1603	40.13/1019	20.25/514	19.07/484	15.87/403	3.23/82	43.38/1102	25.00/635	24.38/619	14	4	47.00/21.32		8145-01-582-6408
ZRC4024-1305	40.00/1016	24.00/610	18.00/457	12.99/330	5.00/127	43.25/1099	27.25/692	20.25/514	12	4	54.00/24.49		8145-01-582-6409
ZRC4315-1103	43.00/1092	15.00/381	15.00/381	11.50/292	3.50/89	46.25/1175	18.25/464	16.34/415	12	2	30.00/13.61		8145-01-582-6411
ZRC4432-1205	44.75/1137	31.75/807	16.75/426	12.01/305	4.76/121	48.00/1219	35.00/889	18.62/473	16	4	67.00/30.39		8145-01-582-6413
ZRC5040-1226	49.50/1258	39.50/1004	37.50/953	12.26/311	25.75/654	53.50/1359	43.50/1105	42.38/1077	18	4	113.00/51.36	2	
ZRC5248-1306	52.00/1321	48.00/1219	17.80/452	11.73/298	6.10/155	56.25/1429	52.75/1340	23.00/584	20	4	96.00/43.55	2, 3	8145-01-582-6416
ZRC5415-2412	54.00/1372	15.00/381	36.25/921	24.25/616	12.01/305	57.25/1454	18.25/464	37.63/956	12	6	70.00/31.75		
ZRC5424-2306	54.00/1372	24.00/610	29.29/739	23.00/584	6.06/154	57.75/1467	28.75/730	34.27/870	14	4	70.00/31.80	2	
ZRC5545-2305	55.25/1403	45.25/1149	28.00/711	22.75/578	6.25/159	60.25/1530	50.25/1276	35.37/898	14	4	155.00/70.30	2	
ZRC7819-0805W	78.88/2004	19.43/494	13.28/354	8.00/203	5.00/127	22.68/576							



ZERO KNOWS

SHIPPING & TRANSIT CONTAINERS



ZERO'S EXTENSIVE KNOWLEDGE AND EXPERIENCE in engineering transit and storage technology makes us the indisputable leader in rugged plastic and metal cases. Our Transitainer™ line represents the ultimate in total packaging capability at a very affordable price while our Modular Containers are the ultimate in durable, reusable shipping and storage solutions.

TRANSITAINERS: Available in over 70 standard sizes, with a variety of options, plus our capability to manufacture custom solutions is why ZERO is the recognized leader in serving our global customers with protective enclosure solutions.

Key Features & Benefits:

- Uniform wall thickness for durability
- Interlocking ribs, top and bottom, allow for stacking
- Rotomolded cases resist most chemicals and solvents
- Integrally molded tongue-and-groove closure
- Recessed hardware for added protection
- Meets applicable portions of MIL-PRF-28800, MIL-STD-4150 and MIL-STD-810



VAL-AN CASES: Val-An means "Value Analyzed," demonstrating a commitment from ZERO to provide the desirable features of the Val-An Series in efficient, cost-effective cases. Val-An Series cases come in many standard sizes and configurations. They can also be customized to meet an even greater number of needs.

Case Features:

- 52 width and length combinations, and many depths from which to choose
- Water-tight construction meets MIL-STD-108
- Made from seamless, deep drawn aluminum shells
- Choice of closure type, panel flange, and/or inner lid, and finish



MODULAR CONTAINERS: Custom engineered cases to meet your exacting needs, Modular Containers are made from light-weight aluminum and make exceptional reusable shipping and storage containers. Your first cost is your last cost when you choose these rugged shipping and storage containers.

Key Features & Benefits:

- High Strength-to-Weight Ratio
- Construction flexibility and reusable
- Maximum shock isolation and environmental protection possible
- Easy, fast, economical accessorizing with standard options
- Virtually endless sizes available—Build to specification
- Meets applicable provisions of MIL-STD-108, MIL-STD-810, and MIL-PRF-28800